

Check Here  
Material / Color  
CHIPS



Ver 6.1 April. 2019

GSWeb

A new horizon of playnet for children

GSWeb

Ver 6.1 April. 2019





65, Saengnim-daero 259beon-gil, Saengnim-myeon, Gimhae-si, Gyeongsangnam-do, 50802, Rep. of KOREA  
Email: gswebinfo@gswebplay.com Tel: +82 55. 326. 9025 Website: gswebplay.com

Homepage : <http://gswebplay.com>

Email : gswebinfo@gswebplay.com / Tel : +82 55. 326. 9025  
65, Saengnim-daero 259beon-gil, Saengnim-myeon, Gimhae-si, Gyeongsangnam-do, 50802, Rep. of KOREA






We can configure the product with any **Material / Color** you want




To learn more  
<http://gswebplay.com/>

#gswebplay   gsweb play   gsweb




Rope	Pipe (Metal)	Slide (A type)	Slide (B type)	Disk (HDPE)	Pannel (HPL)	Pad (Rubber)
Brown	Yellow RAL 1013	Red	Sky blue	Red	Station Roof	Dark Green
Black	Yellow Orange RAL 2000	Yellow	Red	Blue	Red 5100DE	Black
Green	Traffic Red RAL 3020	Blue	Violet	Dark Brown	Green 511DE	
Blue	Ultramarine Blue RAL 5002	Green	Blue	Dark Green	Yellow 901DE	
Red	Sky Blue RAL 5015	Grey (Beige)	Brown		Station Wall	
Yellow	Leaf Green RAL 6002	Orange	Beige		Light Brown 6100DE	
Red&Black	Yellow Green RAL 6018	Brown	Yellow Green		Station Bottom	
Blue&Black	Light Grey RAL 7046	Purple	Yellow		Grey 514DE	
	Grey RAL 7047		Green		Station Edge	
	Terra Brown RAL 8028		Cherry Red		Dark Brown 3206DE	
	Graphite Black RAL 9011					
	Traffic White RAL 9016					



## Design

Our highly trained designers help you through every step with your ideas in mind. We provide layout drawings that includes a top view, side view, foundation details, and full color of 3D rendering. We always recommend the most suitable equipment for all budgets, spaces and needs.



## We have a wide selection of cable

16mm, 18mm, 20mm and 22mm in diameter.



## Cable

Each cable consists of 6 stands each containing 24 reinforces steel strands within a polyamide (Nylon) sleeve, wrapped around solid polyamide core; each end of the cable having a junction loop attached onto the cable with aluminum or stainless steel ferrule.



## Net

GSWeb Net-play products use incredible tough and long-lasting polyamid coated wire ropes. With strength, elasticity and vivid color built-in to every fibre, reinforced with steel, you won't find a better way to build brilliant Net-play products.



## Fasteners & Connections

The majority of fasteners are made of stainless steel, guaranteeing long-lasting protection against corrosion in use. The high-quality connections are designed inimitable by our rigorous methods and quality control.



## Metal components

We have technical expertise in precision welded and hand-cleaned. We often take hot-dip galvanized steel tubing, finished with polyester power coating which leaves smooth surface to touch. Small parts are made of stainless steel, anodized or painted aluminum.



## Safety

Our products are always designed and manufactured in compliance with the safety standard, and ensured by mechanical testing on the factory. We could children smile, help communities grow stronger in the safety playground.



## Manufacturing & Customization

Our manufacturing processes use the distinctive technology to create customized products and components. We at GSWeb products are ready to provide the opportunity to see that your ideas become a reality.



## Shipping

Our product is carefully wrapped and packed in custom made wooden pallet and box for safe transport. We supply replacement of parts, age appropriate labeling, Installation instruction that includes construction views with guidelines, as well as maintenance information.

## Certificate

GSWeb provides the most stable and safest environment for children to play in. We have set out to create the highest quality playgrounds at the best price available in the market over 15 years. To raise the safety of our products, we check every component at every step of production under quality control. We hope to receive more feedback whether positive or negative to enhance the quality of our products.

### ISO9001:2015

GSWeb is in compliance with ISO9001:2015, emphasized processes to aid in continuous improvement in quality and customer service. And our management system ensures that everything we learn from marketing and maintenance is incorporated into the development and manufacture of our products and their documentation.



### TUV

TUV Product Service, an international testing and certification organization, is a European Union Notified and competent body providing services which include product testing and certification. The European Harmonized Standard for Commercial Playground Equipment, EN1176, is the TUV standard for commercial playgrounds. For GSWeb products are fully TUV-certificated by EN1176, compliant with all recognized play safety standards - All structures are designed to prevent parts of body entrapment, and to help trapped children in case through the access for adults.



### IPMEA member

GSWeb is a member in good standing of IPEMA, the International Play Equipment Manufacturers Association. IPEMA is a member-driven international trade organization which represents and promotes and open market for manufacturers. As the one of IPEAM members, we meet the design and safety guidelines according to ASTM F1487 and CPSC publications for playground equipment designed for public use.



\* ASTM, The American Society of Testing & Materials International.

\*\* CPSC, The United States Consumer Product Safety Commission.

### Good design Selection 2018 (South Korea)

Acorn Village – Awarded by the Good Design.

GSWeb keeps improving the quality of life by improving product design and meeting the diverse demands of consumers, and contributing to the development of design by expanding public awareness of the field.



GOOD DESIGN  
산업통상자원부선정

## Manufacturer's Warranty

GSWeb warrants its products to be free from defect in materials or workmanship for a period of (1) one year during normal use and installation and in accordance with our published specifications. Additional limited warranties cover the Products against defects caused by deterioration affecting the structural integrity of the equipment during the following periods starting from the date of installation:

- Life time limited warranty on aluminum and steel posts, with the exclusion of cosmetic defects, and providing that proper maintenance was performed on rotating parts according to Manufacturer's instruction.
- 25 year limited warranty on moulded aluminum parts, with the exclusion of cosmetic defects.
- 20 year limited warranty on cable breakage, with the exclusion of cosmetic defects.
- 15 year limited warranty on tubular aluminum and steel components, and aluminum and stainless steel connectors, with the exclusion of cosmetic defects.
- 15 year limited warranty on PVC-coated steel decks, with the exclusion of cosmetic defects.
- 15 year limited warranty on rubber seats or rubber mats for net events, with the exclusion of cosmetic defects.
- 15 year limited warranty on nylon bearings and ring junction pieces, with the exclusion of cosmetic defects.
- 5 year limited warranty on nylon bushings and rubber bumper for Rainbow Swings, with the exclusion of cosmetic defects.
- 5 year limited warranty on plastic panels and slide, with the exclusion of cosmetic defects.
- 5 year limited warranty on premature wear of nylon cables, with the exclusion of cosmetic defects. Determination of what constitutes premature wear will be at Manufacturer's discretion.

Third party's products:

PE Slide, including tubes, is supplied by third party supplier so it may carry their own warranties.

GSWeb warranty is not applied to non-GSWeb manufacturing products.

In normal use condition, our slide supplier doesn't have any responsibilities for installation services performed by third party suppliers.

The warranty stated above is valid only if the structures are erected in conformity with the installation instructions and procedures furnished by GSWeb using approved parts; have been maintained and inspected in accordance with GSWeb's instructions; have been subjected to normal use for the purpose for which the goods were designed; have not been subjected to vandalism, misuse, neglect or accident; have not been subjected to addition or substitution of parts; and have not been modified, altered, or repaired by persons other than GSWeb or its designees in a any respect which, in the judgment of GSWeb, affects the condition or operation of the structures. This warranty does not cover cosmetic items (such as scratches, dents, marring, fading, discoloring and weathering), paint, normal wear and tear, or damage due to checking and warping.

These warranties cover either replacement or repair, at the Manufacturer's discretion, of any Products according to the above descriptions. Transportation and installation-on-site costs are not covered by these warranties, except where specific arrangements are made with written consent from the Manufacturer.

To make claim under the terms of the Warranty, the Buyer's written statement of claim, along with a copy of the original invoice, maintenance records, and supporting photographs, must be sent to the below listed address.

## We're ready to help your kids have fun !




## How is GSWeb playground started? and How is it made?



If you want to get a supervised playground where your kids can run around to their heart's content, what are you waiting for? Contact GSWeb! We always recommend the most suitable equipment for a site while working with any budget. The only limitation here is your imagination.



The saddest thing we can imagine is not making your plan for a successful playground a reality. Imagination is more important than knowledge and it makes everything fit for use. We're always ready to help you through every step of your dream, and don't want you to defer any details. Your dream's almost complete and here, you can take a look at the draft.





















There's an old saying that Thought is the blossom; language the bud; action the fruit behind it. What needs to be done here? Design, visualize, and simulate a complete product before it is shipped out. For now, You'll just say it's a very interesting and you can't wait to get your hands on the finished product.



The unthinkable has suddenly become reality. After hard, energetic and exhilarating hour, a bright smile hovers around children's mouths.

## Contents

	08	<b>Teardrop Maze</b>		50	<b>W.F.B</b>
	12	<b>Diamond</b>		56	<b>Rolling Hills</b>
	16	<b>Antz Hill</b>		64	<b>Play Dome</b>
	20	<b>Flying Fox</b>		68	<b>Giant Double Dome Play</b>
	24	<b>SkyWalk</b>		72	<b>Igloo Net</b>
	32	<b>Acorn Village</b>		78	<b>Net Climber</b>
	38	<b>Spider Tower Net</b>		88	<b>Net Jumper</b>
	42	<b>Fishing Boat</b>		92	<b>SpaceCraft</b>
	46	<b>Rainbow Swing</b>		96	<b>NetScape &amp; Treetop Adventure</b>

## Teardrop Maze

Many children know the names of basic two-dimensional shapes before they enter school. Squares, triangles, circles, and ovals are easy for young children to recognize and draw, even if their other skills are still developing.

As they get older, children can discern more differences among shapes and start to learn more precise words for the wide variety of geometric objects they encounter in life. One of the shapes is Teardrop which looks like an oval with one end pointed outward.

In Teardrop Maze, there are many shapes of different sizes that together create a complex tangle that looks like an enormous maze.



## Teardrop Maze





# Diamond

## Diamond

This will help children working together to pass through the tunnel bridge with twist, turn, rise and fall in wavy paths. It keeps children entertained with the various play value and encourages them to develop important communication skills.



---

## Antz Hill

The design got inspiration from a fascinating question 'How do ants with tiny brains engineer such impressive structure with parallel levels connected by a network of tunnels?'

We discovered what's happening at the big scale is the result of lots of interactions at the small scale. Unlike linear play movement, this structure, called Antz hill, will provide endless amusement such as climbing, sliding, dangled, swing and music playing with harnessing kids' energy to power. We can help children reach the top of the tower surrounded by the frenetic energy of the playground.

# Antz Hill



## Flying Fox

Flying Fox is designed to sit on (rather than dangle from) as you zoom down a hill. The first question might be 'Is it safe?' when some people watch this structure. GSWeb is safety-driven with a lot of our design because we have to be. Children don't even know how to play on it, but they will have to overcome a big hurdle—a fear of litigation—before they ride this. To us, what makes a playground interesting are when children achieve mutual goals.



**Flying  
Fox**




**GS-R101**

Ages	<b>5 to 12</b>
Capacity	<b>1</b>
Size (m)	<b>L1.88 x W21.6 x H3.85</b>
Use Zone (m)	<b>L5.02 x W26.5</b>
Fall Height (m)	<b>1.70</b>




**GS-R102**

Ages	<b>5 to 12</b>
Capacity	<b>1</b>
Size (m)	<b>L4.03 x W27.1 x H4.65</b>
Use Zone (m)	<b>L6.78 x W30.03</b>
Fall Height (m)	<b>1.45</b>



**GS-R301**

Ages	<b>5 to 12</b>
Capacity	<b>1</b>
Size (m)	<b>L13.09 x W5.08 x H4.53</b>
Use Zone (m)	<b>L16.80 x W8.80</b>
Fall Height (m)	<b>0.86</b>



A young child in a red shirt and blue pants is walking across a large, circular rope bridge made of thick, dark ropes. The bridge is suspended high in the air, surrounded by lush green trees with some autumn-colored leaves. To the left, a wooden structure, possibly a treehouse or part of the park's infrastructure, is visible. The overall scene is bright and sunny, suggesting a pleasant day in a park.

# SkyWalk

---

## SkyWalk

Have you ever dreamt of walking high in the sky?

GSWeb's SkyWalk will make your dreams come true. The SkyWalk is connected by Sky stations that resemble towering trees branching out to the sky, now everyone can have fun at a new height.


Climber higher and higher!  
Walk step by step!  
And, slide wearing a huge grin!

As you climb higher and higher the excitement on the faces are enough to show you just how much fun everyone is having. The SkyWalk Adventure, Sky Bridges and Giant Slide that make up this magnificent structure will have everyone feeling like they are on top of the world.





**Customized Product**



**SkyWalk**  
GS-SW-SW & GS-SW-B  
& GS-SW-IP & GS-SW-CT

**Antz Hill**  
GS-AH101

**Acorn Village**  
GS-SV102

**Net Jumper**  
GS-W5002

**Giants Double Dome**  
GS-PD8005



# Maze run Park

South Korea, Yecheon, 2017





## Acorn Village

Sometimes we recover distant memories from our childhood.

Our generation's childhood memories involve playing endlessly, but kids in the smartphone age may not be doing the same. In a trend that experts are calling 'retro play', GSWeb suggest that parents think back to their favorite childhood memories for solutions to activities when on a tight budget with your friends. Now, it's time to go to the Acorn Village with your kids. Your kids will help each other form strong friendships as you have.



# Acorn Village



### GS-SV101-1

Ages	5 to 12
Capacity	22
Size (m)	L6.26 x W9.79 x H7.53
Use Zone (m)	L7.81 x W11.95
Fall Height (m)	1.14



### GS-SV101

Ages	5 to 12
Capacity	31
Size (m)	L12.65 x W11.26 x H9.55
Use Zone (m)	L13.84 x W13.68
Fall Height (m)	1.14




### GS-SV102


Ages	5 to 12
Capacity	62
Size (m)	L19.15 x W12.83 x H9.55
Use Zone (m)	L19.98 x W13.55
Fall Height (m)	1.34



### GS-SV103

Ages	5 to 12
Capacity	109
Size (m)	L21.42 x W13.18 x H9.55
Use Zone (m)	L22.70 x W13.76
Fall Height (m)	1.34






**GS-A01**

Ages	2 to 12
Capacity	6
Size (m)	L2.00 x W1.61 x H1.60
Use Zone (m)	L5.00 x W2.52
Fall Height (m)	1.50




**GS-A02**

Ages	2 to 12
Capacity	1/unit
Size (m)	L1.50
Use Zone (m)	L1.50
Fall Height (m)	0.00



**GS-A03**

Ages	2 to 12
Capacity	7
Size (m)	L4.12 x W0.80 x H0.80
Use Zone (m)	L4.12 x W0.80
Fall Height (m)	0.20




**GS-SV201**

Ages	All
Capacity	4
Size (m)	L1.78 x W1.72 x H2.44
Use Zone (m)	L1.78 x W1.72
Fall Height (m)	0.00



**GS-A04**

Ages	2 to 12
Capacity	1
Size (m)	L2.36 x W0.73 x H0.90
Use Zone (m)	L2.80 x W2.00
Fall Height (m)	0.90



**GS-A05**

Ages	2 to 12
Capacity	8
Size (m)	L4.23 x W1.10 x H2.28
Use Zone (m)	L4.23 x W1.10
Fall Height (m)	0.96

# Spider Tower Net



## Spider Tower Net

The web made by the garden spider.

Children need models rather than deep-think. That's why imagination is more important than knowledge sometimes.


From a distance it looks like the Spider Tower Net has caught some insects but as you get closer you realize that the insects are children hanging from the massive Spider Net.

GSWeb is limited only by your creativity. Can you Imagine?

Inspired by and designed according to the shapes and attributes of a spider's web, we chose this name for our children's rides. Just as the web woven by a spider is so stable in its' geometric structure, GSWeb's play rope equipment provides the most stable and safest environment for children to play in.

**GS-SN1101**

Ages	5 to 12
Capacity	185
Size (m)	L12.88 x W7.87 x H7.13
Use Zone (m)	L17.00 x W12.00
Fall Height (m)	1.66



**GS-SN1101-S**

Ages	5 to 12
Capacity	186
Size (m)	L13.19 x W11.17 x H6.90
Use Zone (m)	L17.00 x W14.92
Fall Height (m)	1.66



**GS-SN1101-DS**

Ages	5 to 12
Capacity	187
Size (m)	L13.50 x W14.47 x H6.90
Use Zone (m)	L17.00 x W17.84
Fall Height (m)	1.66



## Fishing Boat

Climbing the net in the Fishing Boat offers a 'magical' experience.

The Fishing Boat's massive trawl structure can support hundreds of children at once as they crawl from one end to the other, dangle from the under-hanging ropes with ball and discs, or just spend time in the crow's nest.

This structure is the perfect and most dynamic playground apparatus to challenge upper body strength and hand-eye coordination, and promotes healthy play.

# Fishing Boat









## Let's go to the sea to catch big fishes!

The Fishing Boat is attached to massive pillars that provide tension to the structure giving it the effect of trawling through the seas. There are a huge net and a watchtower to see the distant areas on the fishing Boat. Who will be the brave captain to rule this Fishing Boat? Who is the tagger of today?




### CS-SP1101

Ages	5 to 12
Capacity	362
Size (m)	L25.42 x W18.70 x H9.48
Use Zone (m)	L24.24 x W21.19
Fall Height (m)	2.00



### CS-SP1102-1

Ages	5 to 12
Capacity	52
Size (m)	L9.51 x W8.08 x H6.00
Use Zone (m)	L12.69 x W10.69
Fall Height (m)	1.35



### CS-SP1102

Ages	5 to 12
Capacity	188
Size (m)	L11.63 x W11.81 x H7.00
Use Zone (m)	L15.13 x W15.13
Fall Height (m)	2.02

# Rainbow Swing

## Rainbow Swing

### What if we hang swing on the Rainbow?

And what if we make a rainbow double and triple? This has come true with our Rainbow Swing. Our light aluminum seat with rubber safety bumper allows children to swing effortlessly, while making it safe for children not on the swing.



## the Whale Flower and Butterfly

W.F.B is not just dynamic structure and rich and attractive net, it's including interactive elements. As urban sculpture, fitness equipment or seating, it has various function to older siblings, parents and even grandparents. This way they can watch the playground while also doing something for themselves. This will serve play value to multiple generations.


Be aware of the nature through this exhilarating outdoor play.

W.F.B



**GS-N101-1**

Ages	5 to 12
Capacity	19
Size (m)	L7.80 x W2.55 x H4.41
Use Zone (m)	L11.29 x W5.55
Fall Height (m)	1.55



**GS-N101**

Ages	5 to 12
Capacity	65
Size (m)	L13.75 x W8.81 x H6.02
Use Zone (m)	L16.79 x W12.02
Fall Height (m)	2.09




**GS-N201-1**

Ages	<b>5 to 12</b>
Capacity	<b>19</b>
Size (m)	<b>L4.26 x W3.05 x H1.54</b>
Use Zone (m)	<b>L7.26 x W6.05</b>
Fall Height (m)	<b>1.54</b>



**GS-N301-1**

Ages	<b>5 to 12</b>
Capacity	<b>43</b>
Size (m)	<b>L8.88 x W6.72 x H4.94</b>
Use Zone (m)	<b>L12.63 x W11.00</b>
Fall Height (m)	<b>2.85</b>



**GS-N201**

Ages	<b>5 to 12</b>
Capacity	<b>66</b>
Size (m)	<b>L11.72 x W6.40 x H4.70</b>
Use Zone (m)	<b>L16.01 x W9.35</b>
Fall Height (m)	<b>2.96</b>



**GS-N301**

Ages	<b>5 to 12</b>
Capacity	<b>92</b>
Size (m)	<b>L15.83 x W8.67 x H4.94</b>
Use Zone (m)	<b>L20.30 x W13.32</b>
Fall Height (m)	<b>2.85</b>

## Rolling Hills

It shows how beautiful the balance is.

The Rolling Hills twists and turns itself at many different angles that will have you getting a full workout as you make your way around the circuit. With its ups and downs and numerous activities along the way, this impressive structure would compliment any public open space.

And, Rolling Hills is designed according to the site condition that they are to be installed at. It will be prepared on of a kind equipment for you.

# Rolling Hills





## Rolling Hills Modules

The following 16 individual elements can be arranged at your own will and ordered in any combination. Make your own structure of Rolling Hills to fit into your site!



GS-RH M45



GS-RH M60



GS-RH M90



GS-RH M120



GS-RH M01



GS-RH M02



GS-RH M03



GS-RH M04



GS-RH M05




GS-RH M06



GS-RH M07



GS-RH M08



GS-RH M09



GS-RH M01H



GS-RH M90H




GS-RH M120H




**GS-RH103**

Ages	<b>5 to 12</b>
Capacity	<b>106</b>
Size (m)	<b>L23.19 x W14.96 x H2.90</b>
Use Zone (m)	<b>L27.79 x W19.54</b>
Fall Height (m)	<b>2.90</b>




**GS-RH104**

Ages	<b>5 to 12</b>
Capacity	<b>96</b>
Size (m)	<b>L19.84 x W6.39 x H2.87</b>
Use Zone (m)	<b>L22.85 x W9.39</b>
Fall Height (m)	<b>2.87</b>




**GS-RH106**

Ages	<b>5 to 12</b>
Capacity	<b>265</b>
Size (m)	<b>L18.15 x W16.92 x H5.62</b>
Use Zone (m)	<b>L21.15 x W19.92</b>
Fall Height (m)	<b>2.38</b>




**GS-RH107**

Ages	<b>5 to 12</b>
Capacity	<b>39</b>
Size (m)	<b>L10.40 x W7.82 x H5.90</b>
Use Zone (m)	<b>L13.76 x W10.51</b>
Fall Height (m)	<b>2.07</b>




**GS-RH105-1**

Ages	<b>5 to 12</b>
Capacity	<b>184</b>
Size (m)	<b>L16.62 x W13.22 x H3.78</b>
Use Zone (m)	<b>L20.28 x W16.58</b>
Fall Height (m)	<b>1.81</b>



**GS-RH105**

Ages	<b>5 to 12</b>
Capacity	<b>231</b>
Size (m)	<b>L19.28 x W16.64 x H5.01</b>
Use Zone (m)	<b>L22.44 x W19.37</b>
Fall Height (m)	<b>2.60</b>



**GS-RH112**

Ages	<b>5 to 12</b>
Capacity	<b>59</b>
Size (m)	<b>L7.13 x W10.04 x H2.28</b>
Use Zone (m)	<b>L10.85 x W13.88</b>
Fall Height (m)	<b>1.97</b>



**GS-RH115**

Ages	<b>5 to 12</b>
Capacity	<b>13</b>
Size (m)	<b>L4.14 x W2.60 x H2.00</b>
Use Zone (m)	<b>L7.80 x W5.60</b>
Fall Height (m)	<b>2.00</b>






**GS-RH201**

Ages	5 to 12
Capacity	17
Size (m)	L5.68 x W4.83 x H2.07
Use Zone (m)	L9.06 x W7.65
Fall Height (m)	1.30




**GS-RH202**

Ages	5 to 12
Capacity	11
Size (m)	L4.34 x W1.63 x H2.10
Use Zone (m)	L8.34 x W5.63
Fall Height (m)	1.36




**GS-RH301**

Ages	5 to 12
Capacity	65
Size (m)	L6.22 x W3.12 x H2.45
Use Zone (m)	L10.55 x W7.24
Fall Height (m)	2.45



**GS-RH302**

Ages	5 to 12
Capacity	97
Size (m)	L9.22 x W3.12 x H2.45
Use Zone (m)	L13.55 x W7.24
Fall Height (m)	2.45



## Play Dome

### Exhilaration in achieving mutual goals.

Children will be invited into the exciting world of GSWeb Play Domes, developing their enthusiastic curiosity of attempting a new adventure. Dome's stable, rigid and aesthetically fine structure contains various rooms and space inside to hide, seek, climb and play as if they were in a different world.



# Play Dome




**GS-PD8001-1**

Ages	<b>5 to 12</b>
Capacity	<b>6</b>
Size (m)	<b>L5.11 x W1.00 x H2.55</b>
Use Zone (m)	<b>L8.08 x W4.26</b>
Fall Height (m)	<b>1.68</b>



**GS-PD8001**

Ages	<b>5 to 12</b>
Capacity	<b>11</b>
Size (m)	<b>L8.45 x W1.11 x H3.97</b>
Use Zone (m)	<b>L12.15 x W5.74</b>
Fall Height (m)	<b>2.13</b>



**GS-PD8001M**

Ages	<b>5 to 12</b>
Capacity	<b>17</b>
Size (m)	<b>L8.45 x W4.50 x H3.77</b>
Use Zone (m)	<b>L11.5 x W7.03</b>
Fall Height (m)	<b>2.13</b>




**GS-PD8002-1**

Ages	<b>5 to 12</b>
Capacity	<b>13</b>
Size (m)	<b>L4.44 x W4.27 x H2.62</b>
Use Zone (m)	<b>L6.63 x W6.27</b>
Fall Height (m)	<b>1.50</b>



**GS-PD8002**

Ages	<b>5 to 12</b>
Capacity	<b>41</b>
Size (m)	<b>L7.09 x W6.88 x H4.13</b>
Use Zone (m)	<b>L10.86 x W10.43</b>
Fall Height (m)	<b>2.40</b>



**GS-PD8003**

Ages	<b>5 to 12</b>
Capacity	<b>51</b>
Size (m)	<b>D8.14 x H4.13</b>
Use Zone (m)	<b>D11.48</b>
Fall Height (m)	<b>1.86</b>

# Giant Double Dome Play



## Giant Double Dome Play

**A truly magnificent structure.**

The inner Dome that is found within this structure is a labyrinth of ropes that challenges the mind and body. Children can climb on the inside and the outside of the inner Dome and make their way to the top where they can enter the fully enclosed slide to make their escape.


The outer Dome is designed to cocoon the inner Dome and provide strength to the structure with its geodesic shape.

GSWeb suggests new type of the unique climbing activities for older children as well as preschool children and help make fitness fun.

## Structural Features

### View room

It is designed that children can slide down to the ground after climbing with a real sense of achievement.



### Outer Dome

### Outer Dome Net


It is designed that children can climb-up to the top safely.

### Inner Dome

### Inner Dome Net

This complex net helps that children can enjoy the net in various ways.

Outer Dome is designed to sustain its entire shape and structure. Children would choose to play on inside rather than climb up the surface of outer Dome. Because it is high and the distance between outer and inner Domes is set 3m long so that children cannot reach outer frame from inside. Children can climb up net labyrinth and on inner Dome. Then can to up from inside to the top of inner Dome. Children can enjoy this equipment both inside and on its surface.



### GS-PD8005-1

Ages	5 to 12
Capacity	250
Size (m)	L12.01 x W12.01 x H6.90
Use Zone (m)	L15.97 x W15.97
Fall Height (m)	2.10

### GS-PD8005

Ages	5 to 12
Capacity	280
Size (m)	L16.87 x W12.01 x H9.83
Use Zone (m)	L20.27 x W15.97
Fall Height (m)	2.10




## Igloo

The Igloo series is a steel-framed climbing structure made of steel-loaded polyamide cables with UV guard. Its design imitates the homes of the Inuits, the Igloo.



Igloo



### GS-W802-1

Ages	<b>3 to 8</b>
Capacity	<b>20</b>
Size (m)	<b>L3.60 x W3.60 x H3.60</b>
Use Zone (m)	<b>L7.25 x W7.25</b>
Fall Height (m)	<b>1.80</b>



### GS-W802-1E

Ages	<b>5 to 12</b>
Capacity	<b>36</b>
Size (m)	<b>L5.25 x W5.25 x H3.60</b>
Use Zone (m)	<b>L8.72 x W8.72</b>
Fall Height (m)	<b>1.80</b>

### GS-W802-1E

- We supply a various color option on "A type" slide, shown color information on the last page.
- 1800mm in height.



### GS-W802

Ages	<b>5 to 12</b>
Capacity	<b>25</b>
Size (m)	<b>L4.09 x W4.09 x H4.00</b>
Use Zone (m)	<b>L8.01 x W8.01</b>
Fall Height (m)	<b>2.00</b>



### GS-W803

Ages	<b>5 to 12</b>
Capacity	<b>20</b>
Size (m)	<b>L3.64 x W3.64 x H3.65</b>
Use Zone (m)	<b>L7.32 x W7.32</b>
Fall Height (m)	<b>1.82</b>



### GS-W804

Ages	<b>5 to 12</b>
Capacity	<b>35</b>
Size (m)	<b>L5.65 x W5.65 x H4.24</b>
Use Zone (m)	<b>L8.85 x W8.85</b>
Fall Height (m)	<b>1.45</b>







## Net Climber

### Fun back in to the playground.

Net Climber series is a pyramid style climbing structure made of steel-loaded polyamide cables with UV guard. GSWeb uses the highest steel content in the industry, including a steel-sire core in our edge ropes, to ensure long life of the equipment and maximum safety for the children.

These games help bring movement, exercise and fun back in to the playground and enhance balance as children walk across.


# Net Climber






## Single Mast Mini

It was designed with little hands in mind. Designed specifically for children ages 2-5, now even they can enjoy the same thrilling play experience on a little playground designed for their big imaginations, but safe enough for small hands and feet.




### GS-Ws01

Ages	<b>2 to 5</b>
Capacity	<b>13</b>
Size (m)	<b>L4.33 x W3.75 x H3.06</b>
Use Zone (m)	<b>L7.33 x W6.75</b>
Fall Height (m)	<b>0.44</b>



### GS-Ws02


Ages	<b>2 to 5</b>
Capacity	<b>10</b>
Size (m)	<b>L4.38 x W4.38 x H2.77</b>
Use Zone (m)	<b>L7.38 x W7.38</b>
Fall Height (m)	<b>0.30</b>



### GS-Ws03


Ages	<b>2 to 5</b>
Capacity	<b>18</b>
Size (m)	<b>L6.36 x W6.36 x H3.07</b>
Use Zone (m)	<b>L9.36 x W9.36</b>
Fall Height (m)	<b>0.30</b>

## Single Mast




### GS-W1001-1

Ages	<b>3 to 8</b>
Capacity	<b>22</b>
Size (m)	<b>L4.74 x W4.74 x H3.26</b>
Use Zone (m)	<b>L7.73 x W7.73</b>
Fall Height (m)	<b>0.31</b>



### GS-W1001

Ages	<b>5 to 12</b>
Capacity	<b>28</b>
Size (m)	<b>L5.66 x W5.66 x H3.98</b>
Use Zone (m)	<b>L8.66 x W8.66</b>
Fall Height (m)	<b>0.40</b>




### GS-W1001-S

Ages	<b>5 to 12</b>
Capacity	<b>32</b>
Size (m)	<b>L5.66 x W7.87 x H3.98</b>
Use Zone (m)	<b>L8.66 x W11.51</b>
Fall Height (m)	<b>0.88</b>


# Single Mast

This net shoots up to the clouds – its height is about 10 meters or more. The youngest is unable to climb up the equipment without help from others. Have a little courage! You can see a beautiful view on this Net.




## GS-W1002-1

Ages	5 to 12
Capacity	35
Size (m)	L7.78 x W7.78 x H4.45
Use Zone (m)	L10.7 x W10.7
Fall Height (m)	0.70




## GS-W1002

Ages	5 to 12
Capacity	46
Size (m)	L9.97 x W9.97 x H5.70
Use Zone (m)	L12.97 x W12.97
Fall Height (m)	0.70




## GS-W1003

Ages	5 to 12
Capacity	93
Size (m)	L12.10 x W12.10 x H7.50
Use Zone (m)	L15.10 x W15.10
Fall Height (m)	0.90




## GS-W1005

Ages	5 to 12
Capacity	134
Size (m)	L14.14 x W14.14 x H8.70
Use Zone (m)	L20.8 x W20.8
Fall Height (m)	1.50



## GS-W1006

Ages	5 to 12
Capacity	157
Size (m)	L16.26 x W16.26 x H9.7
Use Zone (m)	L24.1 x W24.1
Fall Height (m)	1.80



## GS-W1007

Ages	5 to 12
Capacity	182
Size (m)	L20.0 x W20.0 x H11.7
Use Zone (m)	L29.7 x W29.7
Fall Height (m)	2.10



## Single Mast

This net shoots up to the clouds – its height is about 10 meters or more. The youngest is unable to climb up the equipment without help from others. Have a little courage! You can see a beautiful view on this Net.




### GS-W1004-1

Ages	<b>3 to 8</b>
Capacity	<b>18</b>
Size (m)	<b>L5.85 x W5.85 x H3.9</b>
Use Zone (m)	<b>L8.85 x W8.85</b>
Fall Height (m)	<b>1.35</b>



### GS-W1004


Ages	<b>5 to 12</b>
Capacity	<b>37</b>
Size (m)	<b>L11.5 x W11.5 x H5.70</b>
Use Zone (m)	<b>L14.50 x W14.50</b>
Fall Height (m)	<b>2.00</b>



### GS-W1004-1 combination


Ages	<b>5 to 12</b>
Capacity	<b>107</b>
Size (m)	<b>L14.50 x W12.86 x H5.70</b>
Use Zone (m)	<b>L18.34 x W16.20</b>
Fall Height (m)	<b>2.00</b>

Available model.  
GS-W1001-1, GS-W1001, GS-W1002-1, GS-W1002, GS-W1004-1




### GS-A01

Ages	<b>5 to 12</b>
Capacity	<b>4</b>
Size (m)	<b>L4.39 x W0.89 x H2.50</b>
Use Zone (m)	<b>L5.89 x W3.00</b>
Fall Height (m)	<b>1.50</b>




### GS-A02

Ages	<b>5 to 12</b>
Capacity	<b>15</b>
Size (m)	<b>L4.37 x W1.15 x H2.20</b>
Use Zone (m)	<b>L6.21 x W4.38</b>
Fall Height (m)	<b>2.00</b>



### GS-A03

Ages	<b>5 to 12</b>
Capacity	<b>25</b>
Size (m)	<b>L3.99 x W3.60 x H0.50</b>
Use Zone (m)	<b>L5.48 x W6.54</b>
Fall Height (m)	<b>0.50</b>




### GS-A04

Ages	<b>5 to 12</b>
Capacity	<b>8</b>
Size (m)	<b>L5.31 x W0.86 x H2.50</b>
Use Zone (m)	<b>L6.35 x W3.00</b>
Fall Height (m)	<b>1.85</b>

## Components and Assemblies

The high quality of the materials and of the manufacturing is important for us from the smallest component to the complete GSWeb playnet. This begins with the innovative rope technology and is followed through to the clearly thought-out system that enables us to match our rope play structures to any location. We put creativity, competence and joy into continually improving our products.



### Mast

The mast is one of the most important component, because it equalizes the oscillation in the Net Climber and makes its structure stable. The masts are made of high-quality seamless steel and hot-dipped as standard. Power coating in various colors is available as an option.



### PIP Box

PIP (Pour In Place) boxes are a must for housing the tension control and anchoring systems on rope climbers that are installed with rubber soft fall. This will allow you to access the turnbuckles for maintenance without having to disturb the surface long after the installation is complete.



### Mast Cap

The rounded mast cap is made of Aluminum. The edge ropes cross on the rope of the mast cap, into which they are fitted accurate to size. The ropes are anchored by means of U-bolts with nuts and washers inside the mast directly under the mast cap.



### Mounting Plates

These are made of galvanized steel. Corner anchors will contain multiple connection points to allow for adjustability of the turnbuckles as well as connection of a safety rope. Centre mast anchors consist of a stub post that stabilizes the mast and an anchor ring that secures the assembly to the concrete. This two piece assembly allows for fine positioning of the post stub to be accomplished during installation, making the process simpler and easier. Mounting plates are secured to concrete blocks with 7/8" (22mm) x 20" (500mm) L-Anchor bolts.



### GSWeb Clamp

The special design facilitates a variety of secure connections to the O.D. 139.8mm and O.D. 60.5mm main post. It is made of Aluminum and endure 2.9ton tensile force.



### Ball type Joint

Ball type joints are on-piece compressed aluminum ball, compressed in place with 150,000 pounds force (667KN) to prevent the connection from moving and causing premature cable wear.




### Turnbuckle & Safety Rope

The hot-dipped tubular turnbuckles, fitted with self-locking nuts, counter nuts, and devices to prevent the bolt being unscrewed, are specially produced for GSWeb. Each main rope (edge rope from mast) of equipment with four tensioning points is equipped with an additional safety rope. Should one of the main connections fail, the safety rope ensures the stability of the net climber.



### Mast Foot

The net climber stands on a safety mast foot. By means of this mast foot critical stress on the tensioning elements, especially on turnbuckles and anchor bars, is prevented. In addition, the mast foot secures the mast while the Net Climber is being assembled.




### PE Panel

They have excellent corrosion resistance to a wide range of items. The High Density Polyethylene has a density, good impact resistance and abrasion resistance. Can be cut with a carbide tipped blade and drilled with regular metal bits.




### Mast Membrane

Where required, these completely surround the mast to fill in openings in the net, preventing entrapments. Shield made of a textile reinforced flexible rubber material and secured with bolts.




**GS-W2001**

Ages	5 to 12
Capacity	60
Size (m)	L13.3 x W8.00 x H3.90
Use Zone (m)	L16.3 x W11.0
Fall Height (m)	0.51




**GS-W2002**

Ages	5 to 12
Capacity	96
Size (m)	L21.40 x W14.00 x H5.70
Use Zone (m)	L24.42 x W17.00
Fall Height (m)	0.85




**GS-W2003**

Ages	5 to 12
Capacity	192
Size (m)	L27.70 x W17.20 x H7.50
Use Zone (m)	L31.36 x W20.86
Fall Height (m)	1.13




**GS-W4001**

Ages	5 to 12
Capacity	128
Size (m)	L13.00 x W13.00 x H3.90
Use Zone (m)	L16.3 x W16.3
Fall Height (m)	0.59



**GS-W4001-C**

Ages	5 to 12
Capacity	158
Size (m)	L13.00 x W13.00 x H3.90
Use Zone (m)	L15.7 x W15.7
Fall Height (m)	0.59



**GS-W4002**

Ages	5 to 12
Capacity	200
Size (m)	L21.40 x W21.40 x H5.70
Use Zone (m)	L23.3 x W23.3
Fall Height (m)	0.85

## Net Jumper

The Net Jumper is a specialty climbing structure featuring a flexible center area surrounded by netting. It is made of steel-loaded polyamide cables with UV guard and the landing surface is textile-reinforced flexible rubber material.


# Net Jumper






### GS-W5001

Ages	5 to 12
Capacity	13
Size (m)	D5.60 x H1.20
Use Zone (m)	D8.60
Fall Height (m)	1.20




### GS-W5002

Ages	5 to 12
Capacity	15
Size (m)	D7.50 x H1.56
Use Zone (m)	D10.5
Fall Height (m)	1.25



### GS-W5003

Ages	5 to 12
Capacity	15
Size (m)	L10.28 x W7.32 x H1.70
Use Zone (m)	D14.10
Fall Height (m)	0.70



### GS-W5004

Ages	5 to 12
Capacity	154
Size (m)	D12.00 x H2.00
Use Zone (m)	D14.00
Fall Height (m)	0.70





# SpaceCraft

## SpaceCraft

**The spacecraft series is the 21st Century merry-go-round**

Everyone remembers the fun of riding the merry-go-round when they were younger. Our special bearing system controls the rotation speed so that the children can safely enjoy the same exhilarating experience.



**GS-SC2100**

Ages	<b>5 to 12</b>
Capacity	<b>39</b>
Size (m)	<b>D3.30 x H3.65</b>
Use Zone (m)	<b>D7.30</b>
Fall Height (m)	<b>2.61</b>



**GS-SC2101**

Ages	<b>2 to 5</b>
Capacity	<b>13</b>
Size (m)	<b>D2.00 x H2.21</b>
Use Zone (m)	<b>D6.00</b>
Fall Height (m)	<b>1.45</b>




**GS-SC2102**

Ages	<b>5 to 12</b>
Capacity	<b>25</b>
Size (m)	<b>D3.30 x H3.32</b>
Use Zone (m)	<b>D7.30</b>
Fall Height (m)	<b>2.04</b>




**GS-SC2200**

Ages	<b>5 to 12</b>
Capacity	<b>25</b>
Size (m)	<b>D3.30 x H3.19</b>
Use Zone (m)	<b>D7.30</b>
Fall Height (m)	<b>1.99</b>



**GS-SC2300**

Ages	<b>5 to 12</b>
Capacity	<b>37</b>
Size (m)	<b>D3.30 x H3.32</b>
Use Zone (m)	<b>D7.80</b>
Fall Height (m)	<b>2.62</b>



**GS-SC2300F**

Ages	<b>5 to 12</b>
Capacity	<b>37</b>
Size (m)	<b>D3.30 x H3.32</b>
Use Zone (m)	<b>D7.80</b>
Fall Height (m)	<b>2.22</b>

## NetScape

**You can be proud that you have built your own playground!**

This series has been designed to provide a more active and comprehensive play space. Using various shapes and forms, children can enjoy a variety of play values and because each element is different it provides a unique play experience.


With the individual rope elements, you can make more than a million different combinations of NetScape. This means there will be no NetScape the same as yours anywhere in the world.

# NetScape



## Adaptability


NetScape can be configured to suit the exact requirements of each individual site including the contours, gradients, boundaries, access and budget. A modular approach to the design means elements can be added in an endless variety of ways, meaning you have a wide range of options to create a truly unique play experience!



Make your own combination out of each independent element to fit within your budget, just as if you were the designer. Decide on which element you would like out of the four available designs. Pick your rope color, and you have created your own small world.


## Elements of NetScape and Treetop Adventure

The following 25 individual elements can be arranged at your own will and ordered in any combination. Use our standard packages to inspire you when designing your own NetScape. Make your own structure of NetScape to fit into your site!



**GS-NS E01**

Ages	5 to 12
Capacity	20
Size (m)	L3.00 x W3.00 x H2.57
Use Zone (m)	L6.57 x W6.57
Fall Height (m)	1.82



**GS-NS E02**

Ages	5 to 12
Capacity	10
Size (m)	L3.00 x W3.00 x H2.57
Use Zone (m)	L5.77 x W5.77
Fall Height (m)	1.22



**GS-NS E03**

Ages	5 to 12
Capacity	11
Size (m)	L3.00 x W3.00 x H2.57
Use Zone (m)	L7.37 x W7.37
Fall Height (m)	2.42



**GS-NS E04**

Ages	5 to 12
Capacity	4
Size (m)	L3.00 x W0.89 x H2.57
Use Zone (m)	L5.77 x W3.52
Fall Height (m)	1.22



**GS-NS E05**

Ages	5 to 12
Capacity	6
Size (m)	L3.00 x W0.14 x H2.57
Use Zone (m)	L6.97 x W3.97
Fall Height (m)	2.12



**GS-NS E06**

Ages	5 to 12
Capacity	5
Size (m)	L3.00 x W0.14 x H2.57
Use Zone (m)	L7.16 x W5.07
Fall Height (m)	2.26





**GS-NS E07**

Ages	5 to 12
Capacity	5
Size (m)	L3.00 x W0.14 x H2.57
Use Zone (m)	L7.29 x W4.29
Fall Height (m)	2.36



**GS-NS E08**

Ages	5 to 12
Capacity	4
Size (m)	L3.00 x W0.86 x H2.57
Use Zone (m)	L7.30 x W5.02
Fall Height (m)	2.37



**GS-NS E09**

Ages	<b>5 to 12</b>
Capacity	<b>5</b>
Size (m)	<b>L3.00 x W0.14 x H2.57</b>
Use Zone (m)	<b>L7.15 x W4.15</b>
Fall Height (m)	<b>2.25</b>

**GS-NS E10**

Ages	<b>5 to 12</b>
Capacity	<b>6</b>
Size (m)	<b>L3.00 x W0.84 x H2.57</b>
Use Zone (m)	<b>L7.03 x W4.74</b>
Fall Height (m)	<b>2.17</b>

**GS-NS E11**

Ages	<b>5 to 12</b>
Capacity	<b>8</b>
Size (m)	<b>L3.00 x W0.14 x H2.57</b>
Use Zone (m)	<b>L7.30 x W4.30</b>
Fall Height (m)	<b>2.37</b>

**GS-NS E12**

Ages	<b>5 to 12</b>
Capacity	<b>9</b>
Size (m)	<b>L3.00 x W1.04 x H2.57</b>
Use Zone (m)	<b>L6.70 x W4.61</b>
Fall Height (m)	<b>1.92</b>

**GS-NS E15**

Ages	<b>5 to 12</b>
Capacity	<b>8</b>
Size (m)	<b>L4.50 x W1.20 x H2.57</b>
Use Zone (m)	<b>L7.80 x W4.50</b>
Fall Height (m)	<b>1.62</b>

**GS-NS E16**

Ages	<b>5 to 12</b>
Capacity	<b>13</b>
Size (m)	<b>L4.50 x W1.20 x H2.57</b>
Use Zone (m)	<b>L7.67 x W4.37</b>
Fall Height (m)	<b>1.52</b>

**GS-NS E17**

Ages	<b>5 to 12</b>
Capacity	<b>21</b>
Size (m)	<b>L3.00 x W3.00 x H2.57</b>
Use Zone (m)	<b>L5.77 x W5.77</b>
Fall Height (m)	<b>2.42</b>

**GS-NS E18**

Ages	<b>5 to 12</b>
Capacity	<b>19</b>
Size (m)	<b>L5.22 x W2.10 x H2.57</b>
Use Zone (m)	<b>L5.89 x W9.29</b>
Fall Height (m)	<b>2.29</b>



**Net Scape**

- Metal components and connections are in RAL7047 Grey, shown color information on the last page.

**GS-NS E13**

Ages	<b>5 to 12</b>
Capacity	<b>5</b>
Size (m)	<b>L3.00 x W0.14 x H2.57</b>
Use Zone (m)	<b>L6.83 x W3.83</b>
Fall Height (m)	<b>2.02</b>

**GS-NS E14**

Ages	<b>5 to 12</b>
Capacity	<b>6</b>
Size (m)	<b>L3.55 x W3.00 x H2.50</b>
Use Zone (m)	<b>L7.06 x W6.19</b>
Fall Height (m)	<b>1.20</b>

**GS-NS E14**

- We supply a various color option on "A type" slide, shown color information on the last page.
- 1200mm in height.



**GS-NS E20**

Ages	<b>5 to 12</b>
Capacity	<b>6</b>
Size (m)	<b>L3.00 x W0.78 x H2.57</b>
Use Zone (m)	<b>L6.70 x W4.35</b>
Fall Height (m)	<b>1.92</b>

**GS-NS E21**

Ages	<b>5 to 12</b>
Capacity	<b>4</b>
Size (m)	<b>L3.00 x 0.90 x H2.57</b>
Use Zone (m)	<b>L7.37 x W5.13</b>
Fall Height (m)	<b>2.42</b>

**GS-NS E22**

Ages	<b>5 to 12</b>
Capacity	<b>6</b>
Size (m)	<b>L2.50 x W1.00 x H2.57</b>
Use Zone (m)	<b>L6.42 x W4.92</b>
Fall Height (m)	<b>2.08</b>

**GS-NS E23**

Ages	<b>5 to 12</b>
Capacity	<b>6</b>
Size (m)	<b>L5.47 x W1.20 x H1.30</b>
Use Zone (m)	<b>L8.61 x W4.34</b>
Fall Height (m)	<b>0.61</b>

Platform (GS-NS E52) and Treetoper (GS-NS E53) are optional. The size of this structure is limited only by your creativity. Adds maximum of 3 different kinds of NS elements in a single post (GS-NS E51).



**GS-NS E51**

Ages	5 to 12
Capacity	N/A
Size (m)	D0.14 x H2.57
Use Zone (m)	D3.14
Fall Height (m)	N/A



**GS-NS E52**

Ages	5 to 12
Capacity	N/A
Size (m)	D0.50 x H2.57
Use Zone (m)	D3.50
Fall Height (m)	0.50




**GS-NS E53**

Ages	5 to 12
Capacity	N/A
Size (m)	D0.50 x H4.41
Use Zone (m)	D3.50
Fall Height (m)	0.50




**GS-NS E54**

Ages	5 to 12
Capacity	N/A
Size (m)	D0.14 x H4.41
Use Zone (m)	D3.14
Fall Height (m)	N/A




**GS-NS M201**

Ages	5 to 12
Capacity	26
Components	E02(1), E03(1), E09(1), E51(5)



**GS-NS M202**

Ages	5 to 12
Capacity	21
Components	E05(1), E08(1), E09(1), E10(1), E51(5)




**GS-NS M203**

Ages	5 to 12
Capacity	30
Components	E04(1), E09(1), E17(1), E51(4)



**GS-NS M204**

Ages	5 to 12
Capacity	43
Components	E04(1), E05(1), E06(1), E07(1), E08(1), E09(1), E10(1), E11(1), E51(7)



**GS-NS M205**

Ages	<b>5 to 12</b>
Capacity	<b>54</b>
Components	<b>E03(1), E04(1), E05(1), E06(1), E07(1), E08(1), E09(1), E10(1), E11(1), E51(10)</b>



**GS-NS M206**

Ages	<b>5 to 12</b>
Capacity	<b>42</b>
Components	<b>E06(1), E07(1), E08(1), E09(1), E10(1), E11(1), E12(1), E51(10)</b>




**GS-NS M207**

Ages	<b>5 to 12</b>
Capacity	<b>10</b>
Components	<b>E03(1), E07(1), E11(1), E15(1), E51(7)</b>




**GS-NS M208**

Ages	<b>5 to 12</b>
Capacity	<b>48</b>
Components	<b>E02(1), E03(1), E07(1), E11(1), E14(1), E15(1), E51(9)</b>



**GS-NS M209**

Ages	<b>5 to 12</b>
Capacity	<b>30</b>
Components	<b>E03(1), E07(1), E11(1), E22(1), E51(7)</b>



**GS-NS M210**

Ages	<b>5 to 12</b>
Capacity	<b>72</b>
Components	<b>E04(1), E05(1), E06(1), E07(3), E08(1), E10(1), E11(1), E13(1), E16(1), E23(1), E51(10)</b>


# Treetop Adventure

The Treetop Adventure series has the same logic and method of being configured as a package to suit the exact requirements of your site including the contours, gradients, boundaries, access and budget as NetScape. Its basic concept of design came from the recreation facility, "Treetop Adventure Course" that you can enjoy only when you visit recreation sites in the forests. Now you children can enjoy the Treetop Adventure thrill and excitement in your neighborhood safely without wearing any safety gear.



## GS-TA P101


Ages	5 to 12
Capacity	28
Components	E06(1), E09(1), E11(1), E20(1), E21(1), E51(5)



## GS-TA P103

Ages	5 to 12
Capacity	63
Components	E01(1), E04(1), E06(1), E07(1), E18(1), E20(1), E21(1), E53(13)

## Special Order Design





## Park design

You can count on GSWeb to provide everything you need for a successful play area project.

At their heart, all GSWeb products are composed of linear materials—rope, posts and tubes. So they never screen their surroundings. People, buildings, plants and trees never lose their presence, when they're in the company of GSWeb products. In rural or urban environments, GSWeb products ensure your play areas bend and harmonize for a pleasant outlook and better play.



# Half Moon Park

South Korea, Buk-gu, Ulsan, 2016

# Admiralty Park

Singapore, Admiralty Rd, 2017



F Zone





J Zone

# Admiralty Park

Singapore, Admiralty Rd, 2017



# Admiralty Park

Singapore, Admiralty Rd, 2017



A Zone



# Perth stadium

Australia, Perth, 2017





# Nanjing Kingjee September Forest

Nanjing, China, 2017



## Outdoor Playground Fun for Children

At GSWeb's playground, we believe in truly great outdoor play environments for everyone. Adorable video clips below show some of the things we offer.

GSWeb believes early experiences with the natural world lead to the development of imagination and of a sense of wonder which motivate children for life-long learning.

Children experience nature differently than adults. They judge nature by how they can interact with it rather than how it looks as adults do.

All the classroom educational materials produced by the best educators can't substitute for how the sand feels when it runs through children's fingers while building a sandcastle. Similarly, books cannot replace the sensory experience when a child's attention is captured by the sparkle of sunshine through leaves.

Of all the techniques for maintaining a sound mind in a sound body, playing hard outside and having fun in the natural world are some of the best for children.

Notice the look on their faces. They look happy to see each other.



GSWeb strives to create positive play experiences for all childhood ages and all abilities.

We offer children chances to manipulate the environment and explore, to interact with nature and with other children. Children's discovery playgrounds are places where children can claim the magic of the world they are born into - the ability to learn in a natural environment through exploration and discovery, and the opportunity to harness the power of their own imaginations.

Emotions and behaviors are expressed differently in each person because of personal life experiences. As our experience grows and we learn more, we can apply new concepts continually to best serve the children of the future.

Expand a child's mind by letting them interact in a Playground!

